

Author Index

- Alder, J.F., see Hunt, A.L. 207
Angnes, L., see Azevedo, C.M.N. 175
Angulo-Romero, F., see Wróbel, K. 217
Aoyagi, H., see Kitatsuji, Y. 181
Araki, K., see Azevedo, C.M.N. 175
Azevedo, C.M.N.
—, Araki, K., Toma, H.E. and Angnes, L.
Determination of sulfur dioxide in wines by gas-diffusion flow injection analysis utilizing modified electrodes with electrostatically assembled films of tetra-ruthenated porphyrin 175
Ballesteros, B., see Oubiña, A. 255
Bandel, K., see Rettberg, P. 289
Barceló, D., see Nunes, G.S. 245
Barceló, D., see Oubiña, A. 267
Barceló, D., see Penalva, J. 227
Barcelo, D., see Oubiña, A. 255
Baumstark-Khan, C.
—, Hellweg, C.E., Scherer, K. and Horneck, G.
Mammalian cells as biomonitors of UV-exposure 281
Baumstark-Khan, C., see Rettberg, P. 289
Becker, J.S.
—, Kerl, W. and Dietze, H.-J.
Nuclide analysis of an irradiated tantalum target of a spallation neutron source using high performance ion chromatography and inductively coupled plasma mass spectrometry 145
Bengmark, S., see Momeni, N. 21
Bonfil, Y.
—, Brand, M. and Kirowa-Eisner, E.
Determination of sub- $\mu\text{g l}^{-1}$ concentrations of copper by anodic stripping voltammetry at the gold electrode 85
Bornscheuer, U.T., see Ji, H.-S. 39
Borremans, B., see Corbisier, P. 235
Brand, M., see Bonfil, Y. 85
Brown, N.L., see Corbisier, P. 235
Chianella, I., see Marrazza, G. 297
Choi, M.M.F.
— and Xiao, D.
Oxygen-sensitive reverse-phase optode membrane using silica gel-adsorbed ruthenium(II) complex embedded in gelatin film 197
Ciucu, A., see Nistor, C. 309
Corbisier, P.
—, van der Lelie, D., Borremans, B., Provoost, A., de Lorenzo, V., Brown, N.L., Lloyd, J.R., Hobman, J.L., Csöregi, E., Johansson, G. and Mattiasson, B.
Whole cell- and protein-based biosensors for the detection of bioavailable heavy metals in environmental samples 235
Costa Lima, J.L.F., see Martelli, P.B. 165
Cruz-Jiménez, G., see Wróbel, K. 217
Csöregi, E., see Corbisier, P. 235
Danielsson, B., see Momeni, N. 21
Danielsson, L.-G., see Luque-Pérez, E. 155
de Lorenzo, V., see Corbisier, P. 235
Dietze, H.-J., see Becker, J.S. 145
Emnéus, J., see Nistor, C. 309
Farré, M., see Nunes, G.S. 245
Fujimoto, Y., see Ohto, K. 61
Fukuzawa, M., see Hara, S. 121
Galve, R., see Oubiña, A. 255
Garcia-Valls, R.
—, Muñoz, M. and Valiente, M.
Selective separation of lanthanides by supported liquid membranes containing Cyanex 925 as a carrier 77
Ghous, T.
— and Townshend, A.
Flow injection determination of chlorpromazine by inhibition of glutamate dehydrogenase 47
González-Martínez, M.A., see Penalva, J. 227
Gorton, L., see Nistor, C. 309
Grabarczyk, M., see Korolczuk, M. 97
Greenway, G.M.
—, Haswell, S.J. and Petsul, P.H.
Characterisation of a micro-total analytical system for the determination of nitrite with spectrophotometric detection 1
Härmä, H.
—, Lehtinen, P., TakaloLehtinen, H. and Lövgren, T.
Immunoassay on a single microparticle: the effect of particle size and number on a miniaturized time-resolved fluorometric assay of free prostate-specific antigen 11

- Hara, S.
—, Mochinaga, S., Fukuzawa, M., Ono, N. and Kuroda, T.
Simple and highly sensitive determination of morphine in rat plasma by liquid chromatography with fluorescence detection 121
- Haswell, S.J.
— and Howarth, N.
Perturbation of a solid phase separation process by a non-thermal microwave effect 113
- Haswell, S.J., see Greenway, G.M. 1
- Hattori, H., see Yuchi, A. 189
- Hellweg, C.E., see Baumstark-Khan, C. 281
- Hirakawa, T., see Suzuki, H. 103
- Hobman, J.L., see Corbisier, P. 235
- Horneck, G., see Baumstark-Khan, C. 281
- Horneck, G., see Rettberg, P. 289
- Howarth, N., see Haswell, S.J. 113
- Hunt, A.L.
— and Alder, J.F.
Fluorescein mercury(II) acetate and sodium fluorescein as reagents for the determination of bis(2-chloroethyl)sulfide by fluorescence quenching 207
- Igarashi, S., see Takahashi, A. 71
- Ikebukuro, K., see Ji, H.-S. 39
- Ingman, F., see Luque-Pérez, E. 155
- Inoue, K., see Ohto, K. 61
- Ishii, A., see Kumazawa, T. 53
- Ji, H.-S.
—, McNiven, S., Yano, K., Ikebukuro, K., Bornscheuer, U.T., Schmid, R.D. and Karube, I.
Highly sensitive trilayer piezoelectric odor sensor 39
- Johansson, G., see Corbisier, P. 235
- Karube, I., see Ji, H.-S. 39
- Karube, I., see Suzuki, H. 103
- Keppler, B.K., see Szpunar, J. 135
- Kerl, W., see Becker, J.S. 145
- Khayyami, M., see Momeni, N. 21
- Kihara, S., see Kitatsuji, Y. 181
- Kirowa-Eisner, E., see Bonfil, Y. 85
- Kitatsuji, Y.
—, Aoyagi, H., Yoshida, Z. and Kihara, S.
Plutonium(III)-ion selective electrode of liquid membrane type using multidentate phosphine oxide ionophore 181
- Korn, M., see Martelli, P.B. 165
- Korolczuk, M.
— and Grabarczyk, M.
Voltammetric determination of Cr(VI) in a flow system in the presence of diethylenetriaminepentaacetic acid (DTPA) following its deposition in the metallic state 97
- Kumazawa, T.
—, Seno, H., Lee, X.-P., Ishii, A., Watanabe-Suzuki, K., Sato, K. and Suzuki, O.
Extraction of methylxanthines from human body fluids by solid-phase microextraction 53
- Kuroda, T., see Hara, S. 121
- Larsson, P.-O., see Momeni, N. 21
- Lee, X.-P., see Kumazawa, T. 53
- Lehtinen, P., see Härmä, H. 11
- Li, Q.X., see Liu, M. 29
- Liu, M.
—, Li, Q.X. and Rechnitz, G.A.
Flow injection immunosensing of polycyclic aromatic hydrocarbons with a quartz crystal microbalance 29
- Lloyd, J.R., see Corbisier, P. 235
- Łobiński, R., see Szpunar, J. 135
- Lövgren, T., see Härmä, H. 11
- Luque-Pérez, E.
—, Ríos, A., Valcárcel, M., Danielsson, L.-G. and Ingman, F.
Analysis of solid samples using supported liquid membranes: a method for the evaluation of the release of nicotine from Swedish snuff 155
- Makarov, A., see Szpunar, J. 135
- Maquieira, A., see Penalva, J. 227
- Marco, M.-P., see Nunes, G.S. 245
- Marco, M.-P., see Oubiña, A. 255
- Marco, M.-P., see Oubiña, A. 267
- Marrazza, G.
—, Chianella, I. and Mascini, M.
Disposable DNA electrochemical biosensors for environmental monitoring 297
- Martelli, P.B.
—, Reis, B.F., Korn, M. and Costa Lima, J.L.F.
Automatic potentiometric titration in monosegmented flow system exploiting binary search 165
- Mascini, M., see Marrazza, G. 297
- Mattiasson, B., see Corbisier, P. 235
- McNiven, S., see Ji, H.-S. 39
- Mochinaga, S., see Hara, S. 121
- Momeni, N.
—, Ramanathan, K., Larsson, P.-O., Danielsson, B., Bengmark, S. and Khayyami, M.
CCD-camera based capillary chemiluminescent detection of retinol binding protein 21
- Muñoz, M., see Garcia-Valls, R. 77
- Nistor, C.
—, Emnéus, J., Gorton, L. and Ciucu, A.
Improved stability and altered selectivity of tyrosinase based graphite electrodes for detection of phenolic compounds 309
- Noguera-Ortí, J.F.
—, Villanueva-Camañas, R.M. and Ramis-Ramos, G.
Direct injection of edible oils as microemulsions in a micellar mobile phase applied to the liquid chromatographic determination of synthetic antioxidants 127
- Nunes, G.S.
—, Marco, M.-P., Farré, M. and Barceló, D.
Direct application of an enzyme-linked immunosorbent assay method for carbaryl determination in fruits and vegetables. Comparison with a liquid chromatography-postcolumn reaction fluorescence detection method 245

- Ohto, K.
—, Fujimoto, Y. and Inoue, K.
Stepwise extraction of two lead ions with a single molecule of calix[4]arene tetracarboxylic acid 61
- Ono, N., see Hara, S. 121
- Oubiña, A.
—, Ballesteros, B., Galve, R., Barcelo, D. and Marco, M.-P.
Development and optimization of an indirect enzyme-linked immunosorbent assay for 4-nitrophenol. Application to the analysis of certified water samples 255
- Oubiña, A.
—, Barceló, D. and MarcoBarceló, M.-P.
Effect of competitor design on immunoassay specificity: Development and evaluation of an enzyme-linked immunosorbent assay for 2,4-dinitrophenol 267
- Penalva, J.
—, González-Martínez, M.A., Puchades, R., Maquieira, A., Pilar Marco, M. and Barceló, D.
Immunosensor for trace determination of Irgarol 1051 in sea-water using organic media 227
- Petsul, P.H., see Greenway, G.M. 1
- Pieper, T., see Szpunar, J. 135
- Pilar Marco, M., see Penalva, J. 227
- Provoost, A., see Corbisier, P. 235
- Ptitsyn, L.R., see Rettberg, P. 289
- Puchades, R., see Penalva, J. 227
- Ríos, A., see Luque-Pérez, E. 155
- Ramanathan, K., see Momeni, N. 21
- Ramis-Ramos, G., see Noguera-Ortí, J.F. 127
- Rechnitz, G.A., see Liu, M. 29
- Reis, B.F., see Martelli, P.B. 165
- Rettberg, P.
—, Baumstark-Khan, C., Bandel, K., Ptitsyn, L.R. and Horneck, G.
Microscale application of the SOS-LUX-TEST as biosensor for genotoxic agents 289
- Sakurai, J., see Yuchi, A. 189
- Sasaki, S., see Suzuki, H. 103
- Sato, K., see Kumazawa, T. 53
- Scherer, K., see Baumstark-Khan, C. 281
- Schmid, R.D., see Ji, H.-S. 39
- Seno, H., see Kumazawa, T. 53
- Suzuki, H.
—, Hirakawa, T., Sasaki, S. and Karube, I.
An integrated three-electrode system with a micromachined liquid-junction Ag/AgCl reference electrode 103
- Suzuki, O., see Kumazawa, T. 53
- Szpunar, J.
—, Makarov, A., Pieper, T., Keppler, B.K. and Łobiński, R.
Investigation of metallodrug-protein interactions by size-exclusion chromatography coupled with inductively coupled plasma mass spectrometry (ICP-MS) 135
- Takahashi, A.
—, Ueki, Y. and Igarashi, S.
Homogeneous liquid-liquid extraction of uranium(VI) from acetate aqueous solution 71
- Takalo, H., see Härmä, H. 11
- Tatebe, A., see Yuchi, A. 189
- Toma, H.E., see Azevedo, C.M.N. 175
- Townshend, A., see Ghous, T. 47
- Ueki, Y., see Takahashi, A. 71
- Valcárcel, M., see Luque-Pérez, E. 155
- Valiente, M., see Garcia-Valls, R. 77
- van der Lelie, D., see Corbisier, P. 235
- Villanueva-Camañas, R.M., see Noguera-Ortí, J.F. 127
- Wada, H., see Yuchi, A. 189
- Watanabe-Suzuki, K., see Kumazawa, T. 53
- Wróbel, K.
—, Wróbel, K., Cruz-Jiménez, G. and Angulo-Romero, F.
Application of internal standard for micro extraction-spectrophotometric determination of copper in serum and in natural waters 217
- Wróbel, K., see Wróbel, K. 217
- Xiao, D., see Choi, M.M.F. 197
- Yano, K., see Ji, H.-S. 39
- Yoshida, Z., see Kitatsuji, Y. 181
- Yuchi, A.
—, Sakurai, J., Tatebe, A., Hattori, H. and Wada, H.
Performance of arylboronic acids as ionophore for inorganic anions studied by fluorometry and potentiometry 189

